In re: Bornemann et al.

Inter'l Appl. No.:PCT/EP03/13826

Page 3 of 6

10/538024 JC17 Rec'd PCT/PTO 08 JUN 2005

Amendments to the Claims:

1. (Currently Amended) Hydrophilic polyolefin materials, in particular fibers, and/or filaments, and/or nonwoven, and/or nonwoven products made from a mixture of at least one polyolefin and at least one melt additive containing a fatty acid ester of the general formula R-CO-O-CH₂-CH₂-O-R',

where R is a straight-chain or branched-chain alkyl residue with 23 to 35 carbon atoms, and where

$$R' = H_1 - CH_3 - C_2H_5 - C_3H_7 - C_4H_9$$

eharacterized in that wherein the polyolefin materials include a subsequent activation of the fatty acid ester contained in the melt additive on the surface of the polyolefin material by applying a surface active substance in the form of a formulation which contains a silicone compound and a quaternary ammonium compound.

- 2. (Currently Amended) Polyolefin material of claim 1, characterized in that wherein the silicon compound is cationically modified.
- 3. (Currently Amended) Polyolefin material of <u>claim 1</u> elaims 1 and 2, eharacterized in that <u>wherein</u> the quaternary ammonium compound is a quaternized ester of fatty acids and triethanol amine.
- 4. (Currently Amended) Polyolefin material of claims 1-3, characterized in that <u>claim 1, wherein</u> the formulation for the subsequent activation of the used fatty acid ester on a fiber surface is an aqueous preparation.
- 5. (Currently Amended) Polyolefin material of elaims 1-4, characterized in that claim 1, wherein the formulation for the subsequent activation of the used fatty acid ester on a fiber surface is set on the surface, preferably physically.

In re: Bornemann et al.

Inter'l Appl. No.:PCT/EP03/13826

Page 4 of 6

6. (Currently Amended) Polyolefin material of elaims 1-5, characterized in that claim 1, same which contains 0.01 to 0.5% by weight, preferably 0.05 to 0.15% by weight of the formulation for activating the used fatty acid ester on a fiber surface.

- 7. (Currently Amended) Fibers produced from a polyolefin material of claim 1 one of claims 1-6.
- 8. (Currently Amended) Filaments produced from a polyolefin material of claim 1 one of claims 1-6.
- 9. (Currently Amended) <u>A nonwoven Produced from a polyolefin</u> material of claim 1 one of claims 1-6.

10. (Cancelled)

- 11. (Currently Amended) <u>The nonwoven Nonwoven</u> of claim [[8]] <u>9</u>, <u>characterized in that wherein</u> it has repeated strike-through time measurements according to the EDANA test method ERT 154.0.00 of smaller than 5 seconds.
- 12. (Currently Amended) The nonwoven Nonwoven of claim [[8]] 9, characterized in that wherein it has in the determination of a repeated runoff according to the EDANA test method ERT 152.0-99, a repeated runoff of less than 25% by weight of the test fluid based on an applied quantity of fluid.
- 13. (Currently Amended) A nonwoven Nonwoven product containing a nonwoven of claim 9 one of claims 10-11.

In re: Bornemann et al.

Inter'l Appl. No.:PCT/EP03/13826

Page 5 of 6

14. (Currently Amended) Method of producing hydrophilic polyolefin materials, in particular fibers, and/or filaments, and/or nonwovens, and/or nonwoven products, which consist of at least one polyolefin and a melt additive containing a fatty acid ester, eharacterized in that wherein the polyolefin materials include a subsequent activation of the fatty acid ester contained in the melt additive on the fiber surface by applying a surface-active substance in the form of a formulation, which contains a silicone compound and a quaternary ammonium compound.